



*Gawrence*  
*#121C*  
*3/18/03*

ATTENTION: BOX AFTER FINAL  
RESPONSE UNDER 37 C.F.R. § 1.116  
EXPEDITED PROCEDURE REQUESTED  
EXAMINING GROUP 1743

RECEIVED  
MAR 14 2003  
TC 1700

DO NOT ENTER  
OK TO ENTER  
OK AS ENTERED

*832563*

PATENT  
Customer No. 22,852  
Attorney Docket No. 05552-1442

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: )  
)  
Ralf OTTO et al. ) Group Art Unit: 1743  
)  
Application No.: 09/551,581 ) Examiner: Patricia K. Bex  
)  
Filed: April 18, 2000 )  
)  
For: CLOSURE APPLIANCE FOR )  
REAGENT CONTAINER )

Assistant Commissioner for Patents  
Washington, DC 20231

Sir:

AMENDMENT AFTER FINAL

In reply to the Final Office Action of October 8, 2002, a request for a three month extension of time being filed herewith, and pursuant to 37 C.F.R. § 1.116, Applicants propose that this application be amended as follows:

IN THE SPECIFICATION:

Page 7, fourth full paragraph, please amend to read:

The reagent-container stopper (13) is opened and closed by the plunger (11), which moves relative to the reagent container (12). The plunger (11) engages on a catch (15) on the stopper (13) to be opened, and opens the lid (14) at a predetermined position. The reagent container (12) moves relative to the plunger (11) on the reagent-

FINNEGAN  
HENDERSON  
FARABOW  
GARRETT &  
DUNNER LLP

1300 I Street, NW  
Washington, DC 20005  
202.408.4000  
Fax 202.408.4400  
www.finnegan.com